



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/786,279	02/24/2004	Mark Banister	MEDIPACS 04.02	2485
27667	7590	03/16/2012		
HAYES SOLOWAY P.C. 4640 E. Skyline Drive TUCSON, AZ 85718				
EXAMINER				
DAM, DUSTIN Q				
ART UNIT		PAPER NUMBER		
1728				
NOTIFICATION DATE		DELIVERY MODE		
03/16/2012		ELECTRONIC		

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

admin@hayes-soloway.com
nsoloway@hayes-soloway.com

Office Action Summary**Application No.**

10/786,279

Applicant(s)

BANISTER, MARK

Examiner

DUSTIN Q. DAM

Art Unit

1728

Period for Reply -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
 - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
 - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 27 June 2011.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ An election was made by the applicant in response to a restriction requirement set forth during the interview on ____; the restriction requirement and election have been incorporated into this action.
- 4) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 5) ☒ Claim(s) 1, 5-11, 14-33 and 36-38 is/are pending in the application.
- 5a) Of the above claim(s) ____ is/are withdrawn from consideration.
- 6) ☐ Claim(s) ____ is/are allowed.
- 7) ☒ Claim(s) 1, 5-11, 14-33, and 36-38 is/are rejected.
- 8) ☐ Claim(s) ____ is/are objected to.
- 9) ☐ Claim(s) ____ are subject to restriction and/or election requirement.

Application Papers

- 10) ☐ The specification is objected to by the Examiner.
- 11) ☐ The drawing(s) filed on ____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 12) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 13) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. ____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☐ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-800)
- 4) ☐ Interview Summary (PTO-413)
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: _____
- Paper No(s)/Mail Date _____

DETAILED ACTION

Summary

1. This Office Action is in response to the Amendments to the Claims and Remarks filed June 27, 2011.
2. In view of the Amendments to the Claims filed June 27, 2011, the rejections of claims 6-11, 14, 15, and 38 under 35 U.S.C. 112, second paragraph, previously presented in the Office Action sent May 27, 2011 have been withdrawn. In view of the Amendments to the Claims filed June 27, 2011, the rejections of claims 1, 5-11, 14-33, and 36-38 under 35 U.S.C. 103(a) previously presented in the Office Action sent May 27, 2011 have been withdrawn.
3. Claims 1, 5-11, 14-33, and 36-38 are currently pending and have been fully considered.

Claim Rejections - 35 USC § 112

4. The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

5. Claims 6-8, 10, 14, and 15 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention.

- a. Claim 6 recites, "a thermally conductive layer in contact with one or more said layers..." There is insufficient evidence that applicant had in possession, at the time of filing, an invention wherein a thermally conductive layer is taught in detail as in contact with one or more of the individual layers. Applicant's specification appears to only support a general teaching of a thermally conductive layer in contact with the device or electrical components in the device, and not specifically supporting embodiments wherein one of the specific layers is in contact or more than one of the specific layers in contact.
- b. Similarly, claims 7, 8, 10, and 14 require limitations on one or more of the specific component layers. However, there is insufficient support that applicant had in possession an invention with the recited limitations specifically for one of the individual layers or more than one of the specific individual layers as the specification only generally teaches the claimed limitations on the device or electronic components of the device without detailing the specific component layers.
- c. Claim 15 recites, "wherein one or more of the base sealing layer and the protective surface are transparent." There is insufficient evidence that applicant had in possession, at the time of filing, an invention wherein one or more of the base sealing layer and the protective surface are transparent. Applicant's specification appears to only support a general teaching of the device or electrical components in the device to be transparent, and not specifically supporting embodiments wherein one of the specific base sealing layer or protective surface is transparent.

Claim Rejections - 35 USC § 103

6. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

7. The factual inquiries set forth in *Graham v. John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

1. Determining the scope and contents of the prior art.
2. Ascertaining the differences between the prior art and the claims at issue.
3. Resolving the level of ordinary skill in the pertinent art.
4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

8. Claims 1, 5-11, 14-33, and 36-38 are rejected under 35 U.S.C. 103(a) as being unpatentable over MURASKO et al. (U.S. PG-Pub 2002/0159245 A1) in view of CURTIN (U.S. Patent 6,160,215).

a. With regard to claim 1, MURASKO et al. discloses a fully contained solar powered laminated electrical tape illumination device comprising a plurality of flexible layers in a stack: a flexible base sealing layer ("flexible" is a relative term interpreted to include a material with some degree of flexibility; substrate 202, FIG. 2 is interpreted to read on the claimed "flexible base sealing layer" because it is a supporting layer sealed to the various components depicted in FIG. 2 and comprises some degree of flexibility as [0024] provides example materials that have some degree of flexibility); a flexible thin film battery layer (204, FIG. 2 & see [0024] "204 is a rechargeable thin-film battering")

which inherently comprises some degree of flexibility); a flexible electrical circuitry layer (electric leads 214, FIG. 2 are interpreted to read on the claimed “flexible circuitry layer” because [0027] discloses the layer of leads 214 electrically connects various components and inherently comprises some degree of flexibility); a flexible thin film photovoltaic layer structurally capable of producing electricity (such as 208, FIG. 2 which is interpreted to read on the claimed “flexible thin film photovoltaic layer” because it is a thin film, at least thinner than a thicker film, and inherently comprises some degree of flexibility; see [0023] disclosing “photocell 208 receives solar energy or radiation from the ambient environment around illumination device 200 and converts such energy into electrical energy for storage in power supply 204”); an illuminator layer (206, FIG. 2 & see [0023] “light emitting device 206”); and a protective surface (such as the “Light-transmissive electrically insulative materials” disclosed in [0025] because the cited insulative materials protect the surface of the device at least as a physical barrier), wherein all of the aforesaid layers are flexible and the assembled laminated device is also flexible (as cited above, all the cited layers comprise some degree of flexibility including the final structure), and wherein the electrical circuitry layer connects the battery layer and the photovoltaic layer (see [0027]).

MURASKO et al. does not appear to explicitly disclose an illumination device wherein (1) the claimed layers are stacked in order with the electrical circuitry layer sandwiched directly between the battery layer and the photovoltaic layer and wherein (2) an adhesive having a removable covering is applied to said protective surface or base sealing layer.

(1) However, absent contrary evidence that the particular claimed order of component layers is critical or produces an unexpected result, the rear-arrangement of parts, in the instant case the rear-arrangement of the component layers, is a matter of design choice (see MPEP 2144.04{VI}{C}). Additionally, and completely separate, it would have been obvious to a person having ordinary skill in the art to have tried arranging the claimed component layers in the specifically claimed order because the claimed order of component layers is one in a finite number of immediately recognizable arrangements, as there are only 7 sequential layers, within the technical grasp of a skilled artisan in which the selection of component layers provides more than reasonable expectation of success (see MPEP 2141{III}{E}).

(2) CURTIN discloses a photovoltaic device. CURTIN and MURASKO et al. are analogous arts because both are concerned with photovoltaic cells. CURTIN discloses applying an adhesive (26, FIG. 6) having a removable covering (28, FIG. 6) to the back of a photovoltaic layer in order to adhere the photovoltaic device to a desired surface at the place of installment (ABSTRACT).

Thus, at the time of the invention, it would have been obvious to a person having ordinary skill in the art to have combined the device of modified MURASKO et al. with the adhesive covering of CURTIN because the combination of elements known in the prior art is a matter of obviousness (see MPEP 2141{III}{A}) and because it would provide for a means to adhere the device of MURASKO et al. to a surface for installment. The combination of MURASKO et al. and CURTIN is interpreted to provide the

adhesive to, at least indirectly, said protective surface of base sealing layer as both layers are integral in the device of MURASKO et al.

b. With regard to claims 5 and 6, independent claim 1 is obvious over MURASKO et al. in view of CURTIN under 35 U.S.C. 103(a) as discussed above. The combination of MURASKO et al. and CURTIN discloses an illumination device. MURASKO et al. discloses a device further comprising an alternative electrical power inlet and outlet connection point in electrical connection with said electrical circuitry layer (see [0037] disclosing use of a second electroluminescent lamp connected to the common power supply which is interpreted to read on the claimed alternative electrical power inlet and outlet connection point because the second lamp inherently comprises the inlet and outlet connection points by virtue of electrical connection to the common power supply, which is also electrically connected to the cited electrical circuitry layer as discussed above). The second electroluminescent lamp electrically connected to the common power supply, cited flexible thin film battery layer, is interpreted to read on the claimed thermally conductive layer in contact with one or more of said layers structurally capable of dissipating heat from said device because the second lamp is thermally connected to at least the thin film battery structurally capable of dissipating heat from the device by virtue of comprising a thermal conductivity.

c. With regard to claims 7-9, independent claim 1 is obvious over MURASKO et al. in view of CURTIN under 35 U.S.C. 103(a) as discussed above. The combination of MURASKO et al. and CURTIN discloses an illumination device. MURASKO et al. discloses a device further comprising one or more sensor switches and one or more

controllers in electrical connection to at least the electrical circuitry layer structurally capable of controlling, which includes tuning or activation in response to a feedback signal, at least one of the claimed layers (see [0027] discloses using "photo-activated switches" to control power from the electric power from the photocell to the cited battery layer which is interpreted to read on the claimed sensor switches and controller).

d. With regard to claim 10, independent claim 1 is obvious over MURASKO et al. in view of CURTIN under 35 U.S.C. 103(a) as discussed above. The combination of MURASKO et al. and CURTIN discloses an illumination device. MURASKO et al. discloses a device further comprising one or more signal transmitters and receivers in electrical connection to one or more of said layers (see [0036] describing use of a "microprocessor" connected to the cited power supply/battery layer which is interpreted to inherently comprise signal transmitters and receivers).

e. With regard to claim 11, independent claim 1 is obvious over MURASKO et al. in view of CURTIN under 35 U.S.C. 103(a) as discussed above. The combination of MURASKO et al. and CURTIN discloses an illumination device. MURASKO et al. discloses a device wherein said electrical circuitry layer prevents electric current drain through said photovoltaic layer (see [0027] describing switches controlling electric discharge/drain from cited photovoltaic layer depending on ambient light conditions).

f. With regard to claims 14 and 15, independent claim 1 is obvious over MURASKO et al. in view of CURTIN under 35 U.S.C. 103(a) as discussed above. The combination of MURASKO et al. and CURTIN discloses an illumination device.

MURASKO et al. discloses a device wherein the base sealing layer can be transparent (see [0024] describing “light-transmissive materials” for the cited base sealing layer).

g. With regard to claim 16, independent claim 1 is obvious over MURASKO et al. in view of CURTIN under 35 U.S.C. 103(a) as discussed above. The combination of MURASKO et al. and CURTIN discloses an illumination device. MURASKO et al. discloses a device further comprising one or more transparent adhesive layers (see [0026] disclosing the cited illumination device, lamp of MURASKO et al., comprises a transparent electrode; see [0030] teaching the cited second electroluminescent lamp 302 maybe the same as the first described in [0026]; the transparent front electrode of the second electroluminescent lamp 302 is interpreted to read on the claimed “one or more transparent adhesive layers” because it is a transparent layer adhered to the other component layers of the second lamp).

h. With regard to claim 17, independent claim 1 is obvious over MURASKO et al. in view of CURTIN under 35 U.S.C. 103(a) as discussed above. The combination of MURASKO et al. and CURTIN discloses an illumination device. MURASKO et al. discloses a device wherein the illuminator layer inherently emits light in the visible and/or non-visible range.

i. With regard to claims 18-21, 25, 26, and 36, independent claim 1 and dependent claim 17 are obvious over MURASKO et al. in view of CURTIN under 35 U.S.C. 103(a) as discussed above. The combination of MURASKO et al. and CURTIN discloses an illumination device. MURASKO et al. discloses a device wherein the illuminator layer comprises an organic LED, electroluminescent materials, or fluorescent materials (see

[0021] disclosing “organic light emitting diodes” and “electroluminescent phosphors” and the list of organic polymers which are fluorescents/luminescents) in which the cited illuminator layer is interpreted to read on the claimed “illuminating chip” limitation because it is in the form of a small circuit that emits light.

j. With regard to claims 22-24, independent claim 1 is obvious over MURASKO et al. in view of CURTIN under 35 U.S.C. 103(a) as discussed above. The combination of MURASKO et al. and CURTIN discloses an illumination device. MURASKO et al. discloses a device further comprising one or more light refracting materials and light reflecting materials oriented to reflect in one or more directions (see [0026] disclosing the cited illumination device, lamp of MURASKO et al., comprises a transparent front electrode; see [0030] teaching the cited second electroluminescent lamp 302 maybe the same as the first described in [0026]; the transparent front electrode of the second electroluminescent lamp 302 is interpreted to read on the claimed “one or more light refractive materials” and also “one or more light reflective materials oriented to reflect in one or more directions” because, as it is between any two surfaces of non-equal refractive indexes, the interface between the cited transparent front electrode and the top surface of transparent front electrode facing away from the illumination device inherently refracts some degree of light and reflects some degree of light due to the difference in material composition).

k. With regard to claim 27, independent claim 1 is obvious over MURASKO et al. in view of CURTIN under 35 U.S.C. 103(a) as discussed above. The combination of MURASKO et al. and CURTIN discloses an illumination device. MURASKO et al.

discloses a device further comprising one or more layers of dielectric materials (see [0026] disclosing the cited illumination device, lamp of MURASKO et al., comprises “a dielectric layer”; see [0030] teaching the cited second electroluminescent lamp 302 maybe the same as the first described in [0026]; the dielectric layer of the second electroluminescent lamp 302 is interpreted to read on the claimed “layer of dielectric material”).

l. With regard to claims 28 and 29, independent claim 1 is obvious over MURASKO et al. in view of CURTIN under 35 U.S.C. 103(a) as discussed above. The combination of MURASKO et al. and CURTIN discloses an illumination device. MURASKO et al. discloses a device wherein an exterior surface of the device is textured smooth (“textured” is interpreted to include an appearance of a surface; the exterior surfaces of the device depicted in MURASKO et al. FIG. 1-4 are depicted as generally planar which is interpreted to read on the claimed textured smooth).

m. With regard to claim 30, independent claim 1 is obvious over MURASKO et al. in view of CURTIN under 35 U.S.C. 103(a) as discussed above. The combination of MURASKO et al. and CURTIN discloses an illumination device. MURASKO et al. discloses a device wherein one or more electrical components are combined in a single layer (all of the layers in the device of modified MURASKO et al. are combined and are interpreted to read on the claimed “single layer” limitations because they are combined into a single integral device).

n. With regard to claims 31 and 32, independent claim 1 is obvious over MURASKO et al. in view of CURTIN under 35 U.S.C. 103(a) as discussed above. The

combination of MURASKO et al. and CURTIN discloses an illumination device. Process limitations such as “laminated”, which do not clearly and definitely delineate the claimed structure from the structure of the prior art are given not patentable weight as the claims are filed in the statutory class of an apparatus. Modified MURASKO et al. discloses a device comprising a plurality of layers assembled edge to edge (such as the plurality of claimed component layers in the ordered “stack” is interpreted to read on the claimed “edge to edge” because the stack comprise interfacing top and bottom edges between claimed component layers).

o. With regard to claim 33, independent claim 1 is obvious over MURASKO et al. in view of CURTIN under 35 U.S.C. 103(a) as discussed above. The combination of MURASKO et al. and CURTIN discloses an illumination device. MURASKO et al. discloses a device comprising a plurality of devices in electrical connection (see [0037] teaching a second electroluminescent lamp 302 in electrical connection with common power supply/battery in which the second lamp is interpreted to read on the claimed “device”).

p. With regard to claim 37, independent claim 1 is obvious over MURASKO et al. in view of CURTIN under 35 U.S.C. 103(a) as discussed above. The combination of MURASKO et al. and CURTIN discloses an illumination device. Process limitations such as “formed by roll-to-roll lamination” that do not clearly and definitely delineate the claimed structure from the structure of the prior art are given not patentable weight as the claims are filed in the statutory class of an apparatus.

q. With regard to claim 38, independent claim 1 is obvious over MURASKO et al. in view of CURTIN under 35 U.S.C. 103(a) as discussed above. The combination of MURASKO et al. and CURTIN discloses an illumination device. Process limitations such as “printed, etched or plated” that do not clearly and definitely delineate the claimed structure from the structure of the prior art are given not patentable weight as the claims are filed in the statutory class of an apparatus.

Response to Arguments

9. Applicant’s arguments with respect to claims 1, 5-11, 14-33, and 36-38 have been considered but are moot because the arguments do not apply to any of the references being used in the current rejection.

Conclusion

10. Applicant’s amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event,

however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to DUSTIN Q. DAM whose telephone number is (571)270-5120. The examiner can normally be reached on Monday through Thursday, 6:30 AM to 4:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jennifer Michener can be reached on (571)272-1424. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

dd
March 10, 2012

/Jennifer K. Michener/

Supervisory Patent Examiner, Art Unit 1728